

WANCO Perforated Steel Cable Trays

Wanco Perforated Steel Cable Trays are constructed using the highest grade of Electro-Galvanised Sheet Steel for Epoxy Powder coating and high grade hot rolled steel for Hot Dipped Galvanised coating.

There are basically 3 types of Cable Trays construction:

1. Standard Type (Straight Flange)
2. Returned Flange - Type A
3. Returned Flange - Type B

Covers are available upon request.


Standard Specifications

- Length: 2440mm, 3000mm, 6000mm
- Flange Height:
 1. Light Duty - 13mm
 2. Medium Duty - 25mm
 3. Heavy Duty - 50mm
 4. Super Heavy Duty - 50mm and above
- Sheet Thickness: 20G, 18G, 16G, 14G


Materials and Finishing

1. Pre-Galvanised Steel to BS 2989, original finishing
2. Hot Roll Steel and HDG to BS EN 1416
3. Mild Steel and Epoxy Coated
4. Stainless Steel AISI 304, 316, 316L
5. Deep Galvanised Corten A Steel to BS EN 1416
6. Aluminium
7. FRP/GRP
8. ZAM - Zinc-Aluminium-Magnesium protective coating


Perforated Patterns



Standard Flange




Returned Flange




Size (mm)	20G	18G	16G	14G
50	✓	✓	✓	✓
75	✓	✓	✓	✓
100	✓	✓	✓	✓
150	✓	✓	✓	✓
200	✓	✓	✓	✓
250	✓	✓	✓	✓
300		✓	✓	✓
350		✓	✓	✓
400		✓	✓	✓
450			✓	✓
500			✓	✓
600			✓	✓
700			✓	✓
750			✓	✓
800			✓	✓
900			✓	✓
1000			✓	✓
1100			✓	✓
1200			✓	✓

Steel Perforated Cable Tray and Accessories


Flat Equal Bend




Flat Equal Tee




Flat Equal Cross




45° Vertical Outside Riser




45° Vertical Inside Riser




45° Flat Equal Bend




Straight Reducer




Right Reducer




Left Reducer




90° Vertical Inside Riser



90° Vertical Outside Riser



Steel Perforated Cable Tray and Accessories



Loading Data for Cable Tray

